

Cota de fundo
39,58

B4-4
A = 0,204 ha

PV-4-2

4-2-3 DN 500
10,00 m 1,00%
CGIM = 41,64 m
CGIJ = 41,54 m

4-4-5 DN 500
10,00 m 1,00%
CGIM = 40,55 m
CGIJ = 40,45 m

Km 1+640.000
Km 1+636.857

Km 1+600.000

Km 1+580.000

PV-4-3

4-3-5 DN 500
50,00 m 2,60%
CGIM = 41,54 m
CGIJ = 40,24 m







Cota de fundo
39,45

4-5-F DN 500
10,00 m 2,60%
CGIM = 40,24 m
CGIJ = 40,14 m

PV-4-5

B4-5
A = 0,152 ha

LEGENDA

-  TUBULAÇÃO DE PEAD (VER DIÂMETRO PLANTA)
-  BACIA DE CONTRIBUIÇÃO
-  CAIXA 1,20 x 1,20 INTERNA
-  CAIXA 0,80 x 0,80 INTERNA
-  ALA / BOCA DE BUEIRO
-  POSTE EXISTENTE



MUNICIPIO DE NOVA HARTZ

PAVIMENTAÇÃO, SINALIZAÇÃO, DRENAGEM E REDE DE ÁGUA

Rua Dois de Dezembro



ASSUNTO:	PROJETO DE DRENAGEM
LOCAL:	NOVA HARTZ - RIO GRANDE DO SUL - BRASIL

DESENHO:	Eng. Bischoff	PRANCHA:	5-22
ESCALA:	1/200	DATA:	DEZ/2017